



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

City Reports for Week Ended Mar. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	1	Los Angeles, Cal.....	1
Boston, Mass.....	1	Milwaukee, Wis.....	2	2
Bridgeport, Conn.....	1	Montclair, N. J.....	1
Chicago, Ill.....	6	5	Newark, N. J.....	1	1
Dayton, Ohio.....	1	New Orleans, La.....	1
Fall River, Ma s.....	1	New York, N. Y.....	4	6
Kansas City, Kans.....	1	1	Somerville, Mass.....	1
Kansas City, Mo.....	1	Wilmington, Del.....	1	1

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 899.

ERYSIPELAS.

City Reports for Week Ended Mar. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.....	2	Manchester, N. H.....	1	1
Baltimore, Md.....	1	Milwaukee, Wis.....	4
Beaver Falls, Pa.....	1	Montclair, N. J.....	1
Birmingham, Ala.....	1	Newark, N. J.....	10
Boston, Mass.....	5	New Bedford, Mass.....	1
Bridgeport, Conn.....	1	1	New Orleans, La.....	1
Brockton, Mass.....	2	New York, N. Y.....	6
Buffalo, N. Y.....	5	Niagara Falls, N. Y.....	2
Chicago, Ill.....	68	10	Passaic, N. J.....	1
Cincinnati, Ohio.....	2	Philadelphia, Pa.....	14	6
Cleveland, Ohio.....	11	2	Pittsburgh, Pa.....	9	1
Dayton, Ohio.....	2	Providence, R. I.....	2
Detroit, Mich.....	9	2	Reading, Pa.....	2
Duluth, Minn.....	2	Rochester, N. Y.....	2
East Orange, N. J.....	1	Rockford, Ill.....	1
Harrisburg, Pa.....	3	1	St. Louis, Mo.....	11	2
Hartford, Conn.....	4	San Francisco, Cal.....	4
Johnstown, Pa.....	1	Schenectady, N. Y.....	2
Kalamazoo, Mich.....	1	Seattle, Wash.....	2
Kansas City, Mo.....	5	6	Toledo, Ohio.....	1
Lancaster, Pa.....	1	Wichita, Kans.....	1
Lincoln, Nebr.....	1	Wilkesburg, Pa.....	1
Los Angeles, Cal.....	5	Williamsport, Pa.....	1

MALARIA.**City Reports for Week Ended Mar. 18, 1916.**

During the week ended March 18, 1916, malaria was reported by cities as follows: Atlanta, Ga., 1 death; New Orleans, La., 2 deaths; Stockton, Cal., 2 cases.

MEASLES.**Washington—Seattle.**

Surgeon Lloyd reported that during the week ended March 25, 1916, 97 cases of measles were notified in Seattle, Wash., making a total of 352 cases of the disease, with 1 death, reported in that city since February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 899.

PELLAGRA.**Texas.**

The accompanying data relating to the prevalence of pellagra in southern Texas during the year 1915 are taken from a report just made to the South Texas District Medical Association by a committee composed of Drs. B. L. Arms, M. F. Bledsoe, W. F. Thomson, James Greenwood, and J. Mark O'Farrell. The data were obtained by means of circulars addressed to 616 practicing physicians of whom 119 replied.

County.	Circulars sent.	Replies received.	Cases reported.	County.	Circulars sent.	Replies received.	Cases reported.
Austin.....	15	2	11	Matagorda.....	12	4	14
Brazos.....	11	1	10	Montgomery.....	5	1	9
Brazoria.....	14	3	28	Nacogdoches.....	18	2	6
Burleson.....	5	1	13	Orange.....	9	2	5
Colorado.....	17	2	2	Polk.....	19	1	2
De Witt.....	30	8	9	Sabine.....	13	1	7
Fayette.....	10	1	0	Shelby.....	17	1	4
Fort Bend.....	7	0	0	Taylor.....	6	1	2
Galveston.....	65	13	11	San Augustine.....	10	2	11
Grimes.....	14	3	150	Victoria-Calhoun.....	22	8	9
Harris.....	148	29	36	Waller.....	5	2	48
Jasper-Newton.....	16	2	11	Walker.....	10	1	6
Hardin.....	10	8	32	Washington.....	9	2	1
Jefferson.....	56	12	13	Wharton-Jackson..	15	4	16
Lavaca.....	16	1	5				
Liberty.....	4	1	2				
Madison.....	8	0	0	Total.....	616	119	473

The distribution by age, sex, and color, of 467 of the 473 cases reported is given in the following table:

Age.	White.		Negro.		Total.	Percent.
	Male.	Female.	Male.	Female.		
Under 10.....	17	12	6	9	44	9.4
10 to 15.....	0	8	4	13	25	5.3
15 to 20.....	5	7	4	22	38	8.2
20 to 25.....	2	16	9	32	59	12.6
25 to 30.....	9	29	10	40	88	18.8
30 to 40.....	11	43	15	36	105	22.5
40 to 50.....	17	16	14	21	68	14.6
Over 50.....	15	12	2	11	40	8.6
Total.....	76	143	64	184	467	100.0
Per cent.....	16.3	30.6	13.7	39.4	100	

PELLAGRA—Continued.**City Reports for Week Ended Mar. 18, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Atlanta, Ga.....	2	Mobile, Ala.....	1
Birmingham, Ala.....	2	Nashville, Tenn.....	1
Boston, Mass.....	1	Newton, Mass.....	1
Little Rock, Ark.....	2	Richmond, Va.....	1

PNEUMONIA.**City Reports for Week Ended Mar. 18, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal.....	2	Lorain, Ohio.....	2
Ann Arbor, Mich.....	1	Los Angeles, Cal.....	11	9
Auburn, N. Y.....	3	3	Manchester, N. H.....	3	3
Beaver Falls, Pa.....	1	Morristown, N. J.....	1
Binghamton, N. Y.....	5	6	Muscatine, Iowa.....	1
Birmingham, Ala.....	1	5	Newark, N. J.....	40	14
Braddock, Pa.....	7	New Castle, Pa.....	1
Canton, Ohio.....	1	4	Newport, Ky.....	1	1
Chattanooga, Tenn.....	1	2	Norristown, Pa.....	3
Chicago, Ill.....	269	120	Philadelphia, Pa.....	78	46
Cleveland, Ohio.....	38	29	Pittsburgh, Pa.....	23	30
Coffeyville, Kans.....	4	1	Plainfield, N. J.....	1
Columbus, Ohio.....	2	4	Reading, Pa.....	5	4
Dayton, Ohio.....	3	4	Rochester, N. Y.....	6	3
Detroit, Mich.....	6	14	San Francisco, Cal.....	7	5
Duluth, Minn.....	4	4	Schenectady, N. Y.....	7	1
Grand Rapids, Mich.....	6	2	Steeltown, Pa.....	1	1
Harrisburg, Pa.....	5	6	Steuenville, Ohio.....	1
Johannstown, Pa.....	2	3	Toledo, Ohio.....	4	6
Kalamazoo, Mich.....	2	1	Wichita, Kans.....	1
Kansas City, Mo.....	2	14	Wilkinsburg, Pa.....	2
Lincoln, Nebr.....	1			

POLIOMYELITIS (INFANTILE PARALYSIS).**City Reports for Week Ended Mar. 18, 1916.**

During the week ended March 18, 1916, poliomyelitis was reported by cities as follows: Cleveland, Ohio, 1 case and 1 death; Portland, Oreg., 1 death.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 899.

SMALLPOX.**Florida—Key West Quarantine.**

Surg. Guiteras reported that a case of smallpox was removed from the United States torpedo boat destroyer *Jacob Jones* at the Key West quarantine April 21, 1916.

Michigan—Detroit.

Senior Surg. Austin reported by telegraph the occurrence of an outbreak of smallpox in Detroit, Mich., 32 cases of the disease having been present in the city smallpox hospital March 25, 1916, this number diminishing to 16 cases present in that institution April 1, 1916.

SMALLPOX—Continued.**Minnesota.**

Collaborating Epidemiologist Bracken reported by telegraph that during the week ended April 1, 1916, five new foci of smallpox infection were reported in the State of Minnesota, cases of the disease having been notified as follows: Clay County, Cromwell Township 1; Goodhue County, Cannon Falls 5; Jackson County, Round Lake Township 1; Pine County, Dorsey Township 2, Partridge Township 1.

Texas—Galveston.

Surg. Bahrenburg reported by telegraph that 2 new cases of smallpox had been notified at Galveston, Tex., 1 on April 1 and 1 on April 3, 1916.

Miscellaneous State Reports.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Arizona (Feb. 1-29):			Oregon (Jan. 1-31):		
Santa Cruz County—			Counties—		
Nogales.....	2	Douglas.....	2
North Dakota (Feb. 1-29):			Linn.....	2
Counties—			Umatilla.....	1
Burleigh.....	2	Wallowa.....	1
Cass.....	7	Total.....	6
Grand Forks.....	15			
Griggs.....	1			
Kidder.....	5			
McHenry.....	1			
Pembina.....	1			
Pierce.....	7			
Ramsey.....	1			
Ward.....	11			
Wells.....	1			
Williams.....	2			
Total.....	54			

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 899.

City Reports for Week Ended Mar. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Butte, Mont.....	3	Little Rock, Ark.....	1
Canton, Ohio.....	1	Los Angeles, Cal.....	2
Chicago, Ill.....	1	Marinette, Wis.....	1
Coffeyville, Kans.....	1	Milwaukee, Wis.....	2
Davenport, Iowa.....	12	New Orleans, La.....	4
Detroit, Mich.....	22	Oakland, Cal.....	1
El Paso, Tex.....	6	2	Oklahoma City, Okla.....	5
Evansville, Ind.....	6	Omaha, Nebr.....	1
Everett, Wash.....	1	Seattle, Wash.....	2
Fort Wayne, Ind.....	3	Sioux City, Iowa.....	2
Galveston, Tex.....	1	Springfield, Ill.....	11
Kansas City, Kans.....	3	Toledo, Ohio.....	7
Kansas City, Mo.....	4	Wichita, Kans.....	9
Lincoln, Nebr.....	4			

TETANUS.

City Reports for Week Ended Mar. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	1	1	Richmond, Va.....		2
Covington, Ky.....		1	Rochford, Ill.....	1	1
Danville, Ill.....		1	Springfield, Ill.....		1
New York, N. Y.....		1			

TYPHOID FEVER.

State Reports for February, 1916.

Place.	New cases reported.	Place.	New cases reported.
Hawaii:		North Dakota:	
Hawaii—		Norton County.....	2
Hamakua district.....	1	Ransom County.....	1
Hilo.....	2	Total.....	3
North Kona district.....	1		
Puna district.....	1	Oregon:	
Oahu—		Clackamas County.....	2
Ewa district.....	1	Coos County.....	4
Honolulu.....	3	Multnomah County—	
Koolauloa district.....	2	Portland.....	9
Koolau-poko district.....	1	Total.....	15
Waialua district.....	1		
Total.....	13		

City Reports for Week Ended Mar. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal.....	1		Manchester, N. H.....	1	
Atlanta, Ga.....	2		Milwaukee, Wis.....	20	5
Auburn, N. Y.....	1	1	Mobile, Ala.....		1
Baltimore, Md.....	5	1	Nashville, Tenn.....	3	
Binghamton, N. Y.....	2		Newark, N. J.....	3	1
Birmingham, Ala.....	1		New Haven, Conn.....	1	
Buffalo, N. Y.....	2		New Orleans, La.....	1	
Cambridge, Mass.....	1		Newton, Mass.....	1	
Camden, N. J.....	2		New York, N. Y.....	17	1
Charleston, S. C.....	4	1	Pasadena, Cal.....	1	
Chelsea, Mass.....	1		Philadelphia, Pa.....	11	
Chicago, Ill.....	24	6	Pittsburgh, Pa.....	4	
Cleveland, Ohio.....	2		Portland, Oreg.....	3	
Columbus, Ohio.....		1	Providence, R. I.....	1	
Cumberland, Md.....	1	1	Saginaw, Mich.....	1	1
Danville, Ill.....	1		St. Louis, Mo.....	4	1
Detroit, Mich.....	3	2	San Diego, Cal.....	1	1
Duluth, Minn.....	1	1	San Francisco, Cal.....	3	2
Elizabeth, N. J.....	1	1	Schenectady, N. Y.....	1	1
El Paso, Tex.....		1	Somerville, Mass.....		1
Erie, Pa.....	1		South Bend, Ind.....	1	
Galesburg, Ill.....	2		Syracuse, N. Y.....	2	
Galveston, Tex.....	1		Tampa, Fla.....	1	1
Grand Rapids, Mich.....	1		Tacoma, Wash.....	1	
Harrisburg, Pa.....	2		Toledo, Ohio.....	2	
Lincoln, Nebr.....	1		Trenton, N. J.....	2	
Little Rock, Ark.....	2		Troy, N. Y.....		1
Los Angeles, Cal.....	1		Washington, D. C.....	4	
Lynchburg, Va.....	1		Wilmington, Del.....	1	
Lynn, Mass.....	1		Zanesville, Ohio.....	7	

TYPHUS FEVER.**Texas—El Paso.**

Senior Surg. Pierce reported by telegraph that during the seven days ended April 2, 1916, 4 new cases of typhus fever were notified at El Paso, Tex.

Texas—Laredo.

Acting Asst. Surg. Hamilton reported by telegraph that 1 new case of typhus fever was notified in Laredo, Tex., April 1, 1916.

Texas and New Mexico.

Senior Surg. Pierce submitted a report of the cases of typhus fever known to have occurred in Texas and New Mexico during the period from December 1, 1915, to March 18, 1916, as follows:

Bracketville, Tex.—Name and age not given. Said to have crossed at Eagle Pass on January 24, 1916. Took sick at Spofford on January 1, 1916, and while on the street was arrested as being insane. County physician called in and recognized the case as typhus and removed the patient to Bracketville. Died (?).

Eagle Pass, Tex.—J. G., male; age, 27. Came from Jalisco, Mexico; arrived at Eagle Pass, January 18, 1916. While being detained at the immigration barracks he took sick, January 19, 1916. Recovered.

El Paso, Tex.—Case No. 1. N. M., male; age, 25; said to have crossed clandestinely at Eagle Pass, Tex., about January 4, 1916. Found sick at the Associated Charity headquarters in El Paso on January 13, 1916. Died January 15, 1916.

Case No. 2. M. B., white, American, male; age, ———; United States immigration inspector. Took sick February 18, 1916. Had been in Juarez, Mexico, and had been closely associated with Mexicans at immigration station. Died February 27, 1916.

Case No. 3. Name and age not given. Convalescent when found in a shanty on Eleventh Street, near Oregon Street. From this same house cases 8 to 14 were taken on March 8.

Case No. 4. R. L. H., male; age, 29. Worked at the cement plant, just outside city of El Paso to the west. Was found sick at 619 South Florence Street. Sent to county hospital. Recovered.

Case No. 5. E. L., male; age, 20. Took sick February 18, 1916. First seen by doctor on March 4, when he was convalescent. Came from Encarnacion, via Aguascalientes, San Luis Potosi, Torreon, and Juarez, staying several days in each place. Arrived at El Paso about January 20, 1916. Lived at the smelter settlement. Recovered.

Case No. 6. F. G., female; age, 48; mother of case No. 23; same history. Took sick February 23; died March 7, 1916.

TYPHUS FEVER—Continued.

Case No. 7. F. L., male; age, 28; brother of case No. 23; same history. Took sick February 25. Recovered.

Case No. 8. A. M., female; age, 18. Took sick February 29 Eleventh and Oregon Streets, El Paso. Came from Guanajuato about one month ago. Recovered.

Case No. 9. G. V., female; age, 21. Took sick February 29, 1916. Same family as case 8. Recovered.

Case No. 10. J. C., male; age, 23. Took sick March 3, 1916. Same family as cases 8 and 9. Recovered.

Case No. 11. J. C., female; age, 22. Took sick March 5, 1916. Same family as cases 8, 9, and 10. Recovered.

Case No. 12. S. P., female; age, 15. Took sick March 3, 1916. Same family as cases 8, 9, 10, and 11. Recovered.

Case No. 13. M. M., male; age, 36. Patient stated he had been sick only two days on March 8, 1916. He was at that time convalescent from mild typhus. Taken from the same house as cases 8 to 12. Recovered.

Case No. 14. F. C., female; age, 18 months; child of case 11. Recovered.

Case No. 15. J. H., male; age, 14; found sick at smelter settlement March 9, 1916. Said to have lived there for two months. Recovered.

Case No. 16. M. A., female; age, 60. Sent to hospital on March 7, 1916, from Sembrano, about 5 miles east of El Paso. This patient left the house at the smelter settlement, where cases 5, 6, and 7 were found. Died March 10, 1916.

Case No. 17. M. G., male; age, 22. Came from Aguascalientes, Mexico, 22 days ago. Lived at the smelter settlement, No. 26 Nipper Street. Recovered.

Case No. 18. P. J., male; age, 26. Came from Leon, Mexico, about 22 days ago. Lived in Juarez Alley, Eleventh and Oregon Streets. Recovered.

Case No. 19. A. C., male; age, 8 years. Same family as cases 26 to 32. Juarez Alley, Eleventh and Oregon Streets. Recovered.

Case No. 20. V. C., female; age, 3 years. Same family as case 19. Recovered.

Case No. 21. J. P. (C.), male; age, 10 years. Same family as cases 19 and 20, 1120 South Oregon Street (Juarez Alley). Recovered.

Case No. 22. J. P., male; age, 7 years. Same family as cases 19, 20, and 21. Recovered.

Case No. 23. G. H., male; age, 22. Came from Encarnacion, Mexico, about 22 days ago. Lived at the smelter settlement. Recovered.

TYPHUS FEVER—Continued.

Laredo, Tex.—Case No. 1. M. C., female; age, 56. Lived in Laredo, Tex., more than 25 years. Took sick December 4, 1915; had been to Nuevo Laredo, Mexico, on November 24 and 25, during which time many Carranza soldiers were there. Infection no doubt contracted at that time. Died.

Case No. 2. J. A., male; age, 23. Lived in Laredo, Tex., all his life. Son of case 1. Took sick December 6, 1915. Recovered.

Case No. 3. I. A., male; age, 16. Lived in Laredo, Tex., all his life. Son of case 1. Took sick December 8, 1915. Recovered.

Case No. 4. G. R., male; age, 30. Indefinite history as to previous residence. Took sick December 27, 1915. Recovered.

Case No. 5. J. M., male; age, 25. Came from City of Mexico about December 26, 1915. Took sick January 1, 1916, at Ferrino Hotel, Laredo. Recovered.

Case No. 6. M. P., male; age, 21. Took sick February 9, 1916; was at home in Laredo until found and isolated on February 17, 1916. Previous history as to residence indefinite. Recovered.

Case No. 7. E. M., female; age, 24. From Leon, Guanajuato; arrived in Laredo on February 1, 1916; worked for seven days, after which she remembers nothing. She was found wandering around the streets of Laredo February 24 and sent to isolation hospital. Recovered.

Case No. 8. J. R., male; age, 19. From Durango; arrived at Laredo February 1, 1916; went to Cactus, Tex., where he worked until February 10, after which no history is obtainable until he was found at a labor agency on February 24. Sent to isolation hospital. Recovered.

Case No. 9. P. K. O., white, male. Took sick at Matahuala, Mexico, while working with typhus cases on March 1. Came to Laredo on special train with other Americans coming out of Mexico. Quarantined at Laredo. Case not ended March 18.

Case No. 10. C. H., white, American; age, 46. Same remarks as case 9.

Moore, Tex.—Six cases. These cases occurred in a family of six from Oaxaca, who crossed at Laredo on January 28, 1916; went to San Antonio and lived at 1142 or 1147 South Flores Street "for several days." The family then went to Piersol, 37 miles south of San Antonio, and then to Moore, 15 miles north of Piersol. The father and mother died about February 15, later the four children of the family were found lying out in the fields sick with typhus. The four children recovered.

San Antonio, Tex.—Case No. 1. L. M. F., male; age, 22. Lived at 1414 West Commerce Street for eight days prior to December 25, 1915, on which date he was sent to the city hospital. Had arrived from Mexico on December 18, 1915. Recovered.

TYPHUS FEVER—Continued.

Case No. 2. R. P., male; age, ———. No previous history obtainable. Died at city hospital on January 11, 1916.

Santa Rita, N. Mex.—Case No. 1. Name ———, male; age, 48. Had lived at Hurley, N. Mex., for two years. Let two Mexicans from Old Mexico sleep in his house and about 10 days later developed typhus. Sent to Santa Rita, where the Chino Copper Co. hospital is located. Proper precautions taken by the company to prevent spread.

Case No. 2. Name, ———; age, over 50 years. Said to have lived there long time. Infection not yet traced. Case not ended March 18.

City Report for Week Ended Mar. 18, 1916.

During the week ended March 18, 1916, 11 cases of typhus fever, with 1 death, were notified at El Paso, Tex.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.**State Reports for February, 1916.**

During the month of February, 1916, 19 cases of diphtheria, 268 cases of measles, and 1 case of scarlet fever were reported in the Territory of Hawaii; and during the same month 17 cases of diphtheria, 133 cases of measles, and 63 cases of scarlet fever were reported in the State of North Dakota.

Oregon Report for January, 1916.

During the month of January, 1916, 19 cases of diphtheria, 30 cases of measles, and 18 cases of scarlet fever were reported in the State of Oregon.

City Reports for Week Ended Mar. 18, 1916.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	584,605	245	14	3	286	28	1	31	26	
Boston, Mass.	745,139	267	47	7	115	3	54	1	48	
Chicago, Ill.	2,447,045	787	107	13	283	1	326	6	276	
Cleveland, Ohio.	656,975	188	31	4	187	2	45	3	32	
Detroit, Mich.	554,717	212	61	1	167	2	37	32	
New York, N. Y.	5,468,190	1,541	364	24	696	16	208	3	351	
Philadelphia, Pa.	1,683,664	628	87	13	427	6	65	3	126	
Pittsburgh, Pa.	571,984	194	13	2	201	4	16	23	
St. Louis, Mo.	745,988	237	54	3	82	40	70	
From 300,000 to 500,000 inhab- itants:										
Buffalo, N. Y.	461,335	135	10	3	185	1	7	16	
Cincinnati, Ohio.	406,706	124	25	331	3	1	24	
Jersey City, N. J.	300,133	94	9	37	27	2	24	
Los Angeles, Cal.	465,367	117	9	1	22	7	7	83	
Milwaukee, Wis.	428,062	123	10	365	7	36	2	24	
Newark, N. J.	399,000	137	13	1	572	5	26	1	65	
New Orleans, La.	366,484	148	12	2	9	1	38	
San Francisco, Cal.	*416,912	38	2	4	1	45	26	
Seattle, Wash.	330,834	51	94	1	1	18	
Washington, D. C.	358,679	129	6	64	9	2	26	

* Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Mar. 18, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 200,000 to 300,000 inhabit- ants:										
Columbus, Ohio.....	209,722	71	2	16	5	7	5
Kansas City, Mo.....	289,879	22	3	172	55	5	3	12
Portland, Oreg.....	272,833	52	2	22	2	6	1
Providence, R. I.....	250,025	87	7	66	19	7
Rochester, N. Y.....	250,747	77	2	45	3	13	3
From 100,000 to 200,000 inhabit- ants:										
Atlanta, Ga.....	184,873	78	1	2	9
Birmingham, Ala.....	174,108	56	1	1	1	5	7
Bridgeport, Conn.....	118,434	40	5	1	2	5	4	1
Cambridge, Mass.....	111,669	36	9	1	3	3	7	7
Camden, N. J.....	104,349	2	1	4	6
Dayton, Ohio.....	125,509	47	7	1	25	115	1	4	4
Fall River, Mass.....	126,904	46	2	10	2	1	7
Grand Rapids, Mich.....	125,759	31	37	9	17	2
Hartford, Conn.....	108,969	49	7	1	158	1	4	1	6	2
Lowell, Mass.....	112,124	31	1	4	4	1
Lynn, Mass.....	100,316	29	6	52	10	3	3
Nashville, Tenn.....	115,978	51	2	2	3
New Bedford, Mass.....	114,694	36	3	3	5	10	7
New Haven, Conn.....	147,095	1	1	1	9	1	10	4
Oakland, Cal.....	190,803	3	1	2	5	2	6
Omaha, Nebr.....	135,455	6	1	14	59	3	3
Reading, Pa.....	105,094	38	1	41	2	18	1	1
Richmond, Va.....	154,674	69	112	1	3	4	8
Springfield, Mass.....	103,216	44	9	43	9	3	1
Syracuse, N. Y.....	152,534	44	8	2	3	1	8	4
Tacoma, Wash.....	108,094	1	1
Toledo, Ohio.....	187,840	66	10	334	1	7	2	5
Trenton, N. J.....	109,212	56	8	1	14	4	5	4
Worcester, Mass.....	160,523	57	12	2	24	1	2	12	6
From 50,000 to 100,000 inhabit- ants:										
Akron, Ohio.....	82,958	40	4	1	50	13	1	2
Atlantic City, N. J.....	55,806	7	1	3
Bayonne, N. J.....	67,582	28	1	2
Binghamton, N. Y.....	53,082	33	6	2	1	1	5
Brockton, Mass.....	65,746	20	3	133	3	3	2
Canton, Ohio.....	59,139	18	2	8	7	1	3
Charleston, S. C.....	60,427	34	2	3
Chattanooga, Tenn.....	58,576	12	3	1	3	1
Covington, Ky.....	56,520	16	2	16	1	1	1
Duluth, Minn.....	91,913	33	2	150	4	7	2	2
Elizabeth, N. J.....	84,550	24	8	24	6	3	4
El Paso, Tex.....	51,936	63	3	3	12	3	7
Erie, Pa.....	73,798	24	4	73	3
Evansville, Ind.....	72,123	31	1	1	1	2
Fort Wayne, Ind.....	74,352	15	98	1	1
Harrisburg, Pa.....	70,754	30	2	230	2	1
Hoboken, N. J.....	76,104	24	7	2	28	9	1	9	1
Johnstown, Pa.....	66,585	24	108	4	1
Kansas City, Kans.....	96,854	5	12	4	2	1
Lancaster, Pa.....	50,269	2	9	3	1
Lawrence, Mass.....	98,197	18	9	9	1	3	3	3
Little Rock, Ark.....	55,158	6
Malden, Mass.....	50,067	12	10	1	6	2
Manchester, N. H.....	76,969	28	2	113	1	2	2
Mobile, Ala.....	56,536	4
New Britain, Conn.....	52,203	2	1	145	1	1
Oklahoma, Okla.....	88,153	21	3
Passaic, N. J.....	69,010	23	6	23	1	1	3
Pawtucket, R. I.....	58,156	22	11	3	6
Rockford, Ill.....	53,761	1	44	7
Sacramento, Cal.....	64,806	17	3	2
Saginaw, Mich.....	54,815	26	78	1	3
San Diego, Cal.....	51,115	32	1	29	1	21	5
Schenectady, N. Y.....	95,265	20	5	1	15	5	5	1
Sioux City, Iowa.....	55,588	1	2
Somerville, Mass.....	85,460	21	1	1	2	5	2	3
South Bend, Ind.....	67,030	15	5	39	3	1

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Mar. 18, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabit- ants—Continued.										
Springfield, Ill.	59,468	2	1	17	2	3
Tampa, Fla.	51,521	1
Troy, N. Y.	77,758	2	5	7	7
Wichita, Kans.	67,847	1	2
Wilkes-Barre, Pa.	75,218	3	5	2	4
Wilmington, Del.	93,161	4	123	1	2
From 25,000 to 50,000 inhabit- ants:										
Alameda, Cal.	27,031	8	1	1
Auburn, N. Y.	36,947	12	14	1	2	1
Brookline, Mass.	31,934	8	10	2	2
Butler, Pa.	26,587	9	7	1	2
Butte, Mont.	42,918	20	3	106	3	3
Chester, Mass.	*32,452	7	1	5	5	4	1
Chicopee, Mass.	28,688	6	1	4	2
Cumberland, Md.	25,564	4	2	131	1
Danville, Ill.	31,554	13	237	2	2
Davenport, Iowa	47,127	1	7
East Orange, N. J.	41,155	8	1	3	5	3
Elgin, Ill.	27,844	9	1
Everett, Mass.	38,307	11	3	2	2	1	2
Everett, Wash.	33,767	10	1
Fitchburg, Mass.	41,144	14	3	1	17	1
Galveston, Tex.	41,076	2	4	1	1
Haverhill, Mass.	47,774	26	4	3	2
Kalamazoo, Mich.	47,364	12	2	4	2	1
Kenosha, Wis.	30,319	5	2	2	7	1
La Crosse, Wis.	31,522	3	3	3	3
Lexington, Ky.	39,703	16	1	5	1	1	2
Lima, Ohio	34,644	12	2	95	3
Lincoln, Nebr.	46,028	12	4	8	1
Lorain, Ohio	35,662	2	4	1	1
Lynchburg, Va.	32,385	11	60	1
Madison, Wis.	30,084	1	8	1	1
Medford, Mass.	25,737	9	1
Montclair, N. J.	25,550	6	5	38	1	1	1	1
New Castle, Pa.	40,351	2
Newport, Ky.	31,722	5	1	1
Newport, R. I.	29,631	7	4	8	2	3
Newton, Mass.	43,085	7	2	10	1
Niagara Falls, N. Y.	36,240	9	1	85	1	2	1
Norristown, Pa.	30,833	8	28	2
Ogden, Utah	30,466	2	2
Orange, N. J.	32,524	14	5	33	1	5	2
Pasadena, Cal.	43,859	11	2	3
Perth Amboy, N. J.	39,725	1	1
Pittsfield, Mass.	37,580	5	5	1	1	1
Portsmouth, Va.	38,610	8	5	1
Racine, Wis.	45,507	5	42	6	1	1
Roanoke, Va.	41,929	17	3	1	4
San Jose, Cal.	37,994	5	1
Staubenville, Ohio	26,631	8	1	16	1
Stockton, Cal.	34,508	9	1	1
Superior, Wis.	45,285	4	2	4	3	1
Taunton, Mass.	35,957	12	3	2	1	1
Waltham, Mass.	30,129	9	1	6	1
West Hoboken, N. J.	41,893	7	4
Wheeling, W. Va.	43,097	151	1
Williamsport, Pa.	33,435	14	2	1
Wilmington, N. C.	28,264	14	1	1
Zanesville, Ohio	30,406	1	52	1
From 10,000 to 25,000 inhabit- ants:										
Ann Arbor, Mich.	14,979	12	4
Beaver Falls, Pa.	13,316	1
Biddeford, Me.	17,570	9	1
Braddock, Pa.	21,310	1
Cairo, Ill.	15,593	7	2	1
Clinton, Mass.	*13,075	4

*Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Mar. 18, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 10,000 to 25,000 inhabit- ants—Continued.										
Concord, N. H.	22,480	10			11					
Galesburg, Ill.	23,923	8							2	
Kearny, N. J.	22,753	8	2		11	1			1	
Kokomo, Ind.	20,312	11			1				1	
Long Branch, N. J.	15,057	3			2				1	
Marinette, Wis.	*14,610	1			1		1		1	
Melrose, Mass.	17,166	7	1						1	
Morristown, N. J.	13,158	4	1		6				1	
Muscatine, Iowa.	17,287	5								
Nanticoke, Pa.	22,441	7							1	
Newburyport, Mass.	15,195	12								
New London, Conn.	20,771	8	1						1	1
North Adams, Mass.	*22,019	5					1			
Northampton, Mass.	19,846	4					1		4	1
Phoenix, Ariz.	17,798	8								
Plainfield, N. J.	23,280	11	1		19				1	4
Rutland, Vt.	14,624	4	1							
Saratoga Springs, N. Y.	12,842	8			3		1		2	
South Bethlehem, Pa.	23,522		1		15		1			
Steelton, Pa.	15,337	3	1		5				3	
Wilkesburg, Pa.	22,361	8					3		2	4
Woburn, Mass.	15,862	3			36					

*Population Apr. 15, 1910; no estimate made.